



REC'D 17 DEC 2003
WIPO PCT

PCT/IB 03/05755
05.12.03

INVESTOR IN PEOPLE

The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

11 September 2003

#### Patents Form 1/77

Patents Act 1977

THE PATEINT UTTILE

A

18 DEC 2002

Request for grant of a patent of (See notes on the back of this form) Fou can also get an explanatory leaflet from the Patent Office to help you fill in this form)

Is a statement of inventorship and of right to

grant of a patent required in support of this

c) any named applicant is a corporate body.

a) any applicant named in part 3 is not an inventor, or

there is an inventor who is not named as an

request? (Answer "Yes" if:

applicant, or

See note (d))

8.

The Patent Office

1/77

The Patent Office Cardiff Road Newport NP10 8QQ

Your reference PHGB020238 190EC02 E772121-3 D03008 P01/7700 0.00-0229535.0 Patent application number 0229535.0 (The Patent Office will fill in this part) 18 DEC 2002 Full name, address and postcode of the or of KONINKLIJKE PHILIPS ELECTRONICS N.V. each applicant (underline all surnames) **GROENEWOUDSEWEG 1** 5621 BA EINDHOVEN THE NETHERLANDS 741956 ADD1. Patents ADP Number (if you know it) If the applicant is a corporate body, give the country/state of its incorporation THE NETHERLANDS Title of the invention METADATA PROVISION SYSTEM AND METHOD Name of your agent (if you have one) "Address for service" in the United Kingdom Philips Intellectual Property and Standards to which all correspondence should be sent Cross Oak Lane (including the postcode) Redhill Surrey RH1 5HA Patents ADP number (if you know it) 08359655001 If you are declaring priority from one or more 6. Priority Application number Country Date of filing earlier patent applications, give the country (if you know it) (day/month/year) and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number If this application is divided or otherwise Number of earlier application 7. Date of filing derived from an earlier UK application, give (day/month/year) the number and the filing date of the earlier application

YES

Patents form 1/77

#### Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.

Do not count copies of the same document.

Continuation sheets of this form

Description 6
Claims(s) 2
Abstract 1

Drawings 2 on

10. If you are also filing any of the following, state how many against each item:

**Priority Documents** 

Translations of priority documents

Statement of inventorship and right
to grant of a patent (Patents Form 7/77)

Request for preliminary examination and

· search (Patents Form 9/77)

Request for substantive examination

(Patents Form 10/77)

Any other documents

(Please specify)

I/We request the grant of a patent on the basis of this application.

Signature

Date 17/12/2002

12. Name and daytime telephone number of person to contact in the United Kingdom

01293 815143

(Darren.T. Murley)

#### Warning

11.

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

#### Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- 1) If you have answered "Yes" Patents Form 7/77 will need to be filed.
- 2) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

### DESCRIPTION

5

10

20

25

30

## METADATA PROVISION SYSTEM AND METHOD

The present invention relates to a system and method capable of providing metadata to a destination lacking data network connectivity. The present invention is particularly applicable to the provision of metadata to incar entertainment systems.

Many users own an audio system for playing music and, more recently, multimedia. Audio systems commonly have to ability to play audio recorded on, for example, CD (Compact Disc) and/or MD (Mini Disc) storage media. Each media type has its own pre-defined specification and data encoding format defining the manner in which audio tracks should be written. More recently, different file formats for encoding music have been utilized such as MP3 and WMA. These formats allow many more music files (commonly referred to as tracks) to be stored on a single storage media.

Other audio systems are also available that use hard disks or other memory devices such as solid state memory devices to store the music files.

In each case, the number of music files a single device or recording medium can store is increasing dramatically. In the past, a CD purchased from a retail store would typically only store between 8 and 15 tracks and it was relatively simple to scan through the tracks to find the particular one you wished to hear. However, with some systems offering storage capacities in excess of 1Gb, hundreds, if not thousands, of tracks can be stored in a single device or on a single storage medium in an immediately accessible manner. Whilst such systems remove the requirement of changing CDs or other media if the desired track is not on that particular media, tracks are no longer conveniently divided between a number of CDs or other media. In the past, this division offered the benefit of simplifying searching and organizing music collections.

It is common for tracks and compilations of tracks to have additional information associated with them such as the title of the track, name of the

artist, title of the compilation, name of the song writer etc. This additional information can be referred to as metadata, that is, a definition, description or other data concerning the original data. In the past, such metadata is provided in the form of a printed insert to the storage media case or part of the packaging itself. However, when many tracks or compilations are merged onto a single device or storage medium this metadata is lost.

Displaying the metadata whilst playing the track is of use to a user as a desired track can be selected without having to listen to each track in turn. In addition, the display of metadata allows a user to obtain information on a track he or she may not have heard before or may have forgotten.

One source that provides metadata is <a href="www.gracenote.com">www.gracenote.com</a>. The Gracenote system provides a very large online database of metadata that is said to cover over 800,000 music albums and over 10,000,000 individual songs. Software programs or embedded systems within storage devices are now commonly arranged to access the online database via the internet to obtain metadata associated with the respective track or album.

The main disadvantage of systems such as Gracenote is that internet access is required in order to obtain metadata.

20

25

30

15

10

According to a first aspect of the present invention, there is provided a metadata provision system comprising a transmitter and a receiver, the transmitter being arranged to transmit metadata corresponding to content data and the receiver being arranged to receive the transmitted metadata, wherein the receiver is arranged to store the metadata and output the metadata upon request.

The present invention seeks to provide a method and system in which metadata can be provided to a destination that lacks data network connectivity.

Preferably, the content data comprises audio data, the receiver including a media player, the request comprising presentation of the audio

data in the media player. Preferably, the media player comprises a car head unit.

The transmitter may comprise a local transmitter arranged to transmit metadata to a receiver when the receiver is within a predetermined area. Power to the transmitter may be controlled to limit transmission to the predetermined area.

Preferably, the transmitter and receiver operate under the Digital Audio Broadcasting standard.

By using DAB systems, existing transmitter coverage can be used, thereby reducing implementation costs.

The transmitter and receiver may alternatively operate under another wireless data network such as BlueTooth, IEEE 802.11 or ZigBee.

The transmitted metadata may be encrypted.

According to another aspect of the present invention, there is provided a method of providing metadata comprising:

transmitting metadata corresponding to content data from a transmitter over a wireless data network;

receiving the transmitted metadata at a receiver; storing the metadata at the receiver; and,

output the metadata from the receiver upon request.

Examples of the present invention will now be described in detail, with reference to the accompanying drawings in which:

Figure 1 is a schematic diagram of a metadata provision system according to one embodiment of the present invention; and,

Figure 2 is a schematic diagram of a metadata provision system according to another embodiment of the present invention.

25

10

15

Figure 1 is a schematic diagram of a metadata provision system according to one aspect of the present invention.

The metadata provision system includes a metadata source 10 and a metadata receiver 50. The metadata source 10 includes a database 20 storing the metadata and transmitter 30 operating under the Digital Audio Broadcasting (DAB) standard. The DAB standard is detailed in ETSI document 300-401 available from <a href="www.etsi.org">www.etsi.org</a> and is incorporated herein by reference. The metadata receiver 50 includes a DAB receiver 60 and a memory 70.

10

15

20

25

30

The database 20 transmits its metadata in a repeating loop via the transmitter 30 to the receiver 60. The received metadata is stored in the memory 70. As and when content is updated or new metadata is added, the memory 70 is updated accordingly. By transmitting the metadata in a repeating loop, it can be ensured that all metadata receivers 50 will receive updates at some point and they do not all have to be operational or in reception range of a transmitter 30 at once. In addition, universal metadata receivers 50 can be sold with blank memories 70 and relevant metadata would then be received over time from a localized transmitter 30. For example, in France the transmitter 30 would transmit metadata in French or possibly containing more metadata on French artists. However, the same technology could be used in the United Kingdom and the receiver 50 would receive different metadata relevant to the UK market.

The metadata receiver 50 is preferably coupled to, or incorporated in, an audio device such as a car head unit 80. In a preferred embodiment, the head unit 80 includes a media player 85 such as a CD or MD player. The contents of media input to the media player 85 can be selectively or automatically transferred to the memory 70. When media is input to the media player 85, an identifier is obtained and this is correlated with the metadata held in the memory 70 to obtain metadata on the media content. Typically, correlation would be via a predetermined identifier would be recorded on the media identifying the content. Alternatively, the contents table for the media may be used as the identifier.

The contents of the media are then transferred to the memory 70 and associated with any relevant metadata held.

When new metadata is received from the transmitter 30, in addition to being stored in the memory 70, it is compared with existing content stored in the memory and additional associations are recorded if necessary. When the particular content is played by the head unit 80 the associated metadata is displayed or otherwise used. The head unit 80 may also provide search facilities for content in dependence on associated metadata.

5

10

15

20

25

Preferably, the DAB transmission is encrypted using the conditional access mechanism discussed in detail in the DAB standard. In this manner, transmissions are encrypted and a flag indicating this is set in the data structures transmitted. The receiver 50 includes a pre-agreed decryption key that allows the metadata to be decrypted upon receipt. A one-off or periodic charge may apply in order to obtain the necessary decryption keys.

Figure 2 is a schematic diagram of a metadata provision system according to a further embodiment of the present invention.

In this embodiment, the transmitter 30 is a low-powered local transmitter with only an extremely short communication range 35. For example, the transmitter may operate under a standard such as IEEE 802.11, ZigBee, BlueTooth or DAB. The user's PC or set top box functions as the metadata source 10 and database 20. The PC is connected to a metadata provider 100 from which new and updated metadata is obtained to update the database 20. This information is then communicated via the transmitter 30 and the receiver 60 to the memory 70 when it is in range.

It will be apparent to the reader that many variations and modifications to the system and method are possible. The memory 70 may be a hard disk or other recordable storage medium. In addition, the memory 70 may be composed of a number of storage media or memories itself. For example, there may be one hard disk dedicated to storing the metadata database and another for storing the content. In this scenario, the content may be linked to appropriate entries in the metadata database or the entries may be copied to the content hard disk when the content is recorded. In the case of MP3 or

similar encoded CD's that the head unit and system may not be able to record to, the system may be arranged to access the metadata database for each track to be played and display this in real time.

Various mechanisms to limit the amount of data to be transmitted can also be envisaged. For example, when sold, the memory 70 of the receiver 50 may include a predefined metadata database that is subsequently added to. In this event, only subsequent additions would need to be transmitted by the transmitter 30 in the continuous loop. In another example, the memory 70 may only store metadata on content actually stored. In this manner, the identifier of any new content introduced would be stored and used to pick out the appropriate metadata when it is available.

5

10

#### **CLAIMS**

- 1. A metadata provision system comprising a transmitter and a receiver, the transmitter being arranged to transmit metadata corresponding to content data and the receiver being arranged to receive the transmitted metadata, wherein the receiver is arranged to store the metadata and output the metadata upon request.
- 2. A system according to claim 1, wherein the content data comprises audio data, the receiver including a media player, the request comprising presentation of the audio data in the media player.
  - 3. A system according to claim 1 or 2, wherein the media player comprises a car head unit.

15

- 4. A system according to any preceding claim, wherein the transmitter comprises a local transmitter arranged to transmit metadata to a receiver when the receiver is within a predetermined area.
- 5. A system according to claim 4, wherein the power to the transmitter is controlled to limit transmission to the predetermined area.
  - 6. A system according to any preceding claim, wherein the transmitter and receiver operate under the Digital Audio Broadcasting standard.
  - 7. A system according to any of claims 1 to 5, wherein the transmitter and receiver operate under a selected one of: BlueTooth, IEEE 802.11 or ZigBee.

30

25

8. A system according to any preceding claim, in which the transmitted metadata is encrypted.

- 9. A method of providing metadata comprising: transmitting metadata corresponding to content data from a transmitter over a wireless data network;
- receiving the transmitted metadata at a receiver; storing the metadata at the receiver; and, output the metadata from the receiver upon request.
- 10. A method as claimed in claim 9, wherein the wireless data network comprises a selected one of a Digital Audio Broadcasting network, an IEEE 802.11 network, a ZigBee network or a BlueTooth network.


#### **ABSTRACT**


## METADATA PROVISION SYSTEM AND METHOD

A metadata provision system and method is described. The system comprises a transmitter (30) and a receiver (60). The transmitter (30) is arranged to transmit metadata corresponding to content data. The receiver (60) is arranged to receive the transmitted metadata, wherein the receiver (60) is arranged to store the metadata and output the metadata upon request. Preferably the transmitter (30) and receiver (60) operate under the Digital Audio Broadcasting system.

[Fig. 1]

10





IB0305755

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

U OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.